	Application No.	Applicant(s)
Notice of Allowability	09/315,068	HAYAKAWA ET AL.
House of Allowability	Examiner	Art Unit
	Dung (Michael) T Nguyen	2828
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>06/03/04</u> .		
2. X The allowed claim(s) is/are 1-2,5-8,10-17,19 and 20.		
3. A The drawings filed on 20 May 1999 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachmout(a)		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 08), 7. ⊠ Examiner's Amendr	
Paper No./Mail Date4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. Other	

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Susan Pan on 11/01/04.

The application has been amended as follows:

- Cancel claims 3-4.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: Claims 1 and 12 have been allowed over the Inoguchi prior art because they fail to teach the upper optical waveguide layer is not smaller than 0.25um in thickness, a part of the upper cladding layer on the upper optical waveguide layer is selectively removed up to the interface of the upper cladding layer and the upper optical waveguide layer, the semiconductor laser comprising the upper optical waveguide

Application/Control Number: 09/315,068

Art Unit: 2828

layer and the lower optical waveguide layer, and an interface of the upper cladding layer and the upper optical waveguide layer, said interface being adjacent to said portions of the upper cladding layer and the upper optical waveguide layer having the current blocking layer interposed.

Claims 2, 5-8, 10-17, and 19-20 have been found allowable due to their dependency on claims 1 and 12.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Communication Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dung (Michael) T Nguyen whose telephone number is (571) 272-1949. The examiner can normally be reached on 9:00 - 19:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Min Harvey can be reached on (571) 272-1835. The fax phone numbers for the organization where this application or proceeding is

Application/Control Number: 09/315,068

Art Unit: 2828

Page 4

assigned are (703) 306-5511 for regular communications and (703) 306-5511 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 306-3329.

Nguyen (Michael) Dung

MINISURI CH HARVEY
PRIMARY EXCHANGES